IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
:	Examiner: L. Y. Lao
MUNEKI ANDO)	
:	Group Art Unit: 2629
Application No.: 10/762,335)	
:	Confirmation No.: 4946
Filed: January 23, 2004)	
:	
For: IMAGE DISPLAY APPARATUS)	September 18, 2008
AND METHOD OF DETERMINING :	
CHARACTERISTIC OF CONVER-)	
SION CIRCUITRY OF AN IMAGE :	
DISPLAY APPARATUS)	
:	
U.S. Patent No. 7,227,541 B2)	
:	
Issued: June 5, 2007)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR
CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the

Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent

and Trademark Office mistakes and mistakes which are not the fault of the Patent and Trademark

Office. A Certificate of Correction form is attached.

The statutory fee of $100.00 is being paid electronically. Any additional fee required by this paper may be charged to Deposit Account No. 06-1205.

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,

/Scott D. Malpede/

_____

Scott D. Malpede
Attorney for Patentee
Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

SDM/mm

FCHS_WS 1708014v1

PATENT NO.   :   7,227,541 B2

DATED   :   June 5, 2007

INVENTOR(S) :   MUNEKI ANDO   Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1:

    Line 24, "showed." should read --shown.--.

COLUMN 6:

    Line 61, "[↓m]" should read --[↓m]--.
    Line 62, "n/in" should read --n/m--.

COLUMN 7:

    Line 39, "$H(\ )=(h(1), {}^h(2), {}^h(3), \ldots)$" should read --$H(\ )=(h(1), h(2), h(3), \ldots)$--.

COLUMN 9:

    Line 57, "$H'(\ )=(-0.07, -0.15, 0.07, 0.55, 0.75, 0.45, 0.07, 0.15, 0.07, \ldots)$" should read --$H'(\ )=(-0.07, -0.15, 0.07, 0.55, 0.75, 0.45, 0.07, -0.15, -0.07, \ldots)$--.

COLUMN 10:

    Line 22, "be-implemented" should read --be implemented--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,227,541 B2

DATED : June 5, 2007

INVENTOR(S) : MUNEKI ANDO

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 11:

Line 44, "modulation" should read --modulating--.

FCHS_WS 1706014v1

PATENT NO. 7,227,541 B2

No. of add'l. copies
@ 30¢ per page

⇨ _____